



ఆంధ్రప్రదేశ్ రాజ పత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

W.No.23

AMARAVATI, MONDAY, JUNE 14, 2021

G.108

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS
AND OTHER OFFICERS**

--X--

NOTIFICATIONS BY GOVERNMENT

**ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY DEPARTMENT
(SECTION.II)**

FOREST RESERVATION - EAST GODAVARI DISTRICT AND KAKINADA DIVISION -
RAJAVOMMANGI RANGE - YELLAVARAM FOREST BLOCK TO AN EXTENT OF
Ac.232.304 Cents OR 94.01 Ha OF COMPENSATORY AFFORESTATION LAND IN
SY.NO.67, YELLAVARAM VILLAGE OF ADDATHEEGALA MANDAL IN
EAST GODAVARI DISTRICT, AS PROTECTED FOREST UNDER SECTION 24
OF THE ANDHRA PRADESH FOREST ACT, 1967 (ANDHRA PRADESH
ACT NO.1 OF 1967.

[G.O.Ms.No.33, Environment, Forests, Science & Technology (Section.II), 9th June, 2021.]

NOTIFICATION

In exercise of the powers conferred under section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967), Government of Andhra Pradesh hereby declares that it is proposed to constitute the land within the boundaries specified in the schedule below (Delineated in the map is kept in the office of the Principal Chief Conservator of Forests & Head of Forests Force, Andhra Pradesh, Guntur) as Protected Forest under the said act, with effect from the date of publication in the Andhra Pradesh State Gazette.

SCHEDULE

Name of the District	:	East Godavari
Name of the Division	:	Kakinada
Name of the Mandal	:	Addatheegala
Name of the Range	:	Rajavommangi
Name of the Village	:	Yellavaram
Name of the Proposed Forest Block.	:	Yellavaram P.F.
Extent of the Proposed Forest Block.	:	94.01 Ha

Details of area included in the Proposed Forest Block.

Name of the Village	Sy. No	Nature of Classification	Total area of S.No.in Col.No.2	Area included in Reserve Forest from out of area in Col.No.4
Yellavaram	67	Porambok	94.01	94.01

BOUNDARY DESCRIPTION

North: Starting from station No:1 boundary line runs generally in North Easterly direction up to station No.12 with the following magnetic bearings and distances.

Station Nos.		Magnetic bearing in degrees	Distance in Mtrs	Distance in Links	Remarks
From	To				
1	2	32°	230	1150	
2	3	73°	55	275	
3	4	530°	213	1065	
4	5	49°	168	840	
5	6	51°	118	590	
6	7	54°	54	270	
7	8	510°	41	205	
8	9	58°	59	295	
9	10	64°	75	375	
10	11	67°	164	820	
11	12	70°	195	975	

East: On the Northern side of the block patta lands are existing.

From station No:12 the boundary line runs generally in South Easterly direction up to station No.19, from station No.19 the boundary line runs generally in South West direction up to station No.20, from station No.20 the line runs generally in South Easterly direction up to station No.22, from station No.22 the boundary line runs generally in North East direction up to station No.24, from station No.24 the boundary line runs generally in South East direction up to station No.25, from station No.25 the boundary line runs generally in South Westerly direction up to station No.27, from station No.27 it runs south west direction up to station No.28 and then in south east direction upto station No.29. From station No.29 it runs in south west direction up to station No.31 with the following magnetic bearings and distances.

Station Nos.		Magnetic bearing in degrees	Distance in Mtrs	Distance in Links	Remarks
From	To				
12	13	970°	95	475	
13	14	128°	90	450	
14	15	127°	27	135	
15	16	154°	71	355	
16	17	143°	46	230	
17	18	126°	49	245	
18	19	174°	92	460	
19	20	245°	38	190	
20	21	149°	32	160	
21	22	138°	78	390	
22	23	62°	44	220	
23	24	83°	116	580	
24	25	175°	67	335	
25	26	240°	194	970	
26	27	158°	39	195	
27	28	214°	57	285	
28	29	167°	88	440	
29	30	221°	115	575	
30	31	243°	334	1670	

South: On Eastern side of the block patta lands of Naidupakalu and Yellavaram are existing. From station No.31 the boundary line runs generally in North West direction up to station No.33, from there in South West direction up to station No.36 with the following magnetic bearings and distances.

Station Nos.		Magnetic bearing in degrees	Distance in Mtrs	Distance in Links	Remarks
From	To				
31	32	310°	81	405	
32	33	274°	118	590	
33	34	257°	269	1345	
34	35	228°	239	1195	
35	36	227°	138	690	

West: On Southern side of the block patta lands are existing.

From station No.36 the boundary line runs generally in North Westerly direction up to station No.38, from station No.38 the boundary line runs generally in North Easterly direction up to station No.39, from station No.39 the boundary line runs generally in North Westerly direction up to station No.40, from station No.40 the boundary line runs generally in North Easterly direction up to station No.41, from station No.41 the boundary line runs generally in South Westerly direction up to station No.43 and from station No.43 the line runs generally in North Westerly direction to reach the starting point i.e., station No.01 with the following magnetic bearings and distances.

Station Nos.		Magnetic bearing in degrees	Distance in Mtrs	Distance in Links	Remarks
From	To				
36	37	290°	97	485	
37	38	337°	84	420	
38	39	30°	71	355	
39	40	337°	64	320	
40	41	17°	108	540	
41	42	253°	117	585	
42	43	234°	54	270	
43	1	305°	58	290	

Remarks: 1. Enclosures – Nil

2. Right of Ways to be admitted – Nil.

VIJAY KUMAR GSRKR,
*Secretary to Government,
 EFS & T Department.*

ప్రకటన

1967 ఆంధ్రప్రదేశ్ అటవీ చట్టం 24 వ విభాగము లోని (1967 లో 1 వ చట్టం) ద్వారా లభించిన అధికారము పురస్కరించుకొని, ఆంధ్రప్రదేశ్ గవర్నర్ గారు ఈ క్రింది అనుసూచితో నిర్దేశించిన సరిహద్దులు భూమిని ఆంధ్రప్రదేశ్ ప్రభుత్వ గజిట్ నందు పొందుపరచబడిన తేదీ నుండి రక్షిత అడవిగా గుర్తించబడునని ఇందుమూలముగా తెలియజేయదమైనది. (ఇందులకు సంబంధించిన పటమును ప్రధాన ముఖ్య అటవీ సంరక్షణాధికారి వారి కార్యాలయము, గుంటూరు నందు వుంచడమైనది).

అనుసూచి

జిల్లా పేరు	:	తూర్పుగోదావరి
డివిజను పేరు	:	కాకినాడ
తాలూకా పేరు	:	అడ్డతిగల
రేంజి పేరు	:	రాజవొమ్మంగి
సమీప గ్రామముల పేర్లు	:	ఎల్లవరం, నాయుడుపాకలు
ప్రతిపాదించబడుచున్న రిజర్వు అటవీ భూమి పేరు:	:	ఎల్లవరం
రిజర్వు అడవిగా ప్రతిపాదించిన బ్లాకు విస్తీర్ణం	:	94.01 హెక్టారులు

ప్రతిపాదించబడిన బ్లాకులో చేర్చబడిన విస్తీర్ణం వివరములు

డివిజను పేరు	సర్వే నం	ఆ నేల తీరు	రెండవ గడిలోని సర్వే నం. విస్తీర్ణం హె. లలో	4 వ గడిలోని విస్తీర్ణం నుండి రిజర్వు అడవి బ్లాకులో చేర్చబడిన విస్తీర్ణం హె. లలో
ఎల్లవరం	67	కొండ పోరం బోకు	94.01 హె.	94.01 హె.

ఉత్తరం : ఈ ఫారెస్ట్ యొక్క సరిహద్దు లైను ప్రతిపాదిత ఫారెస్ట్ యొక్క స్టేషన్ నంబరు 1 యొక్క వాయవ్య దిశ నుండి సాధారణముగా ఈశాన్య దిశగా స్టేషన్ నెం. 12 వరకు ఈ క్రింది చూపబడిన మేగ్నటిక్ బేరింగులు మరియు కొలతల తో పటములో చూపబడియుండిన ప్రకారం వెళ్ళును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు	దూరము మీటర్లలో	దూరము లింకులలో	రిమార్కులు
నుండి	వరకు				
1	2	32°	230	1150	
2	3	73°	55	275	
3	4	53°	213	1065	
4	5	49°	168	840	
5	6	51°	118	590	
6	7	54°	54	270	
7	8	51°	41	205	
8	9	58°	59	295	
9	10	64°	75	375	
10	11	67°	164	820	
11	12	70°	195	975	

తూర్పు: ఈ బ్లాకు యొక్క ఉత్తర బాగమున పట్టా భూములు కలవు. అచటి నుండి అనగా స్టేషన్ నెం. 12 నుండి ఈ సరిహద్దు లైను సాధారణముగా ఆగ్నేయ దిశగా స్టేషన్ నెం. 19 వరకు, అచటి నుండి అనగా స్టేషన్ నెంబరు 19 నుండి ఈ సరిహద్దు లైను సాధారణముగా నైరుతి దిశగా స్టేషన్ నెంబరు 20 వరకును, అచటి నుండి అనగా స్టేషన్ నెంబరు 20 నుండి ఈ సరిహద్దు లైను సాధారణముగా ఆగ్నేయ దిశగా స్టేషన్ నెంబరు 22 వరకును, అచటి నుండి అనగా స్టేషన్ నెంబరు 22 నుండి ఈ సరిహద్దు లైను సాధారణముగా ఈశాన్య దిశగా స్టేషన్ నెంబరు 24 వరకును, అచటి నుండి అనగా స్టేషన్ నెంబరు 24 నుండి ఈ సరిహద్దు లైను సాధారణముగా ఆగ్నేయ దిశగా స్టేషన్ నెంబరు 25 వరకును, అచటి నుండి అనగా స్టేషన్ నెంబరు 25 నుండి ఈ సరిహద్దు లైను సాధారణముగా నైరుతి దిశగా స్టేషన్ నెంబరు 26 వరకు ను అచట నుండి అనగా స్టేషన్ నెంబరు 26 నుండి సరిహద్దు లైను ఆగ్నేయ దిశగా స్టేషన్ నెంబరు 27 వరకును అచట నుండి స్టేషన్ నెంబరు 27 నుండి సరిహద్దు లైను నైరుతి దిశగా స్టేషన్ నెంబరు 28 వరకును స్టేషన్ నెంబరు 28 నుండి ఆగ్నేయ దిశలో స్టేషన్ నెంబరు 29 కి చేరి అక్కడ నుండి నైరుతి దిశలో స్టేషన్ నెంబరు 31 వరకు ప్రయాణించి ఈ క్రింది చూపబడిన మేగ్నటిక్ బేరింగులు మరియు కొలతలతో పటములో చూపబడిన ప్రకారము వెళ్ళును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు	దూరము మీటర్లలో	దూరము లింకులలో	రిమార్కులు
నుండి	వరకు				
12	13	97°	95	475	
13	14	128°	90	450	
14	15	127°	27	135	
15	16	154°	71	355	
16	17	143°	46	230	
17	18	126°	49	245	
18	19	174°	92	460	
19	20	245°	38	190	
20	21	149°	32	160	
21	22	138°	78	390	
22	23	62°	44	220	
23	24	83°	116	580	
24	25	175°	67	335	
25	26	240°	194	970	
26	27	158°	39	195	
28	29	214°	57	285	
29	30	167°	88	440	
30	31	243°	334	1670	

దక్షిణము: ఈ బ్లాకు యొక్క తూర్పు బాగమున నాయుడుపాకలు మరియు ఎల్లవరం పట్టాభూములు కలవు అచట నుండి అనగా స్టేషన్ నెం. 31 నుండి ఈ సరిహద్దు లైను సాధారణముగా వాయువ్య దిశగా స్టేషన్ నెం. 33 వరకు అచట నుండి నైరుతి దిశగా స్టేషన్ నెంబరు 36 వరకును ఈ క్రింది చూపబడిన మేగ్నటిక్ బేరింగులు మరియు కొలతలతో పటములో చూపబడిన ప్రకారము వెళ్ళును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు	దూరము మీటర్లలో	దూరము లింకులలో	రిమార్కులు
నుండి	వరకు				
31	32	310°	81	405	
32	33	274°	118	590	
33	34	257°	269	1345	
34	35	228°	239	1195	
35	36	227°	138	690	

పడమర: ఈ బ్లాకు యొక్క దక్షిణ బాగమున పట్టా భూములు కలవు, అచట నుండి అనగా స్టేషన్ నెం. 36 నుండి ఈ సరిహద్దు లైను సాధారణముగా వాయువ్య దిశగా స్టేషన్ నెంబరు 38 వరకును, అచట నుండి అనగా స్టేషన్ నెంబరు 38 నుండి ఈ సరిహద్దు లైను సాధారణముగా ఈశాన్య దిశగా స్టేషన్ నెంబరు 39 వరకును, అచట నుండి

అనగా స్టేషన్ నెంబరు 39 నుండి ఈ సరిహద్దు లైను సాధారణముగా వాయవ్య దిశగా స్టేషన్ నెంబరు 40 వరకును, అచటినుండి అనగా స్టేషన్ నెంబరు 40 నుండి ఈ సరిహద్దు లైను సాధారణముగా ఈశాన్య దిశగా స్టేషన్ నెంబరు 41 వరకును, అచటి నుండి అనగా స్టేషన్ నెంబరు 41 నుండి ఈ సరిహద్దు లైను సాధారణముగా నైరుతి దిశగా స్టేషన్ నెంబరు 43 వరకును, అచటి నుండి అనగా స్టేషన్ నెంబరు 43 నుండి ఈ సరిహద్దు లైను సాధారణముగా వాయవ్య దిశగా సర్వే ప్రారంభించిన స్టేషన్ నెం. 1 వరకు ఈ క్రింది చూపబడిన మేగ్నటిక్ బేరింగులు మరియు కొలతలతో పటములో చూపబడిన ప్రకారము వెళ్ళును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు	దూరము మీటర్లలో	దూరము లింకులలో	రిమార్కులు
నుండి	వరకు				
36	37	290°	97	485	
37	38	337°	84	420	
38	39	30°	71	355	
39	40	337°	64	320	
40	41	17°	108	540	
41	42	253°	117	585	
42	43	234°	54	270	
43	1	305°	58	290	

రిమార్కులు:

- ఎ) ఈ ప్రతిపాదిత అడవి బ్లాకులోపల ఏ విధమైన గ్రామానుభవ ప్రాంతములు (ఎంక్లోజర్స్) - లేవు
- బి) అనుమతించ వలసిన రహదార్లు - లేవు

అటవీ క్షేత్రాధికారి,
రాజవొమ్మంగి.

ఉప అటవీ శాఖాధికారి,
ఏలేశ్వరం.

జిల్లా అటవీ శాఖాధికారి,
కాకినాడ డివిజన్,
కాకినాడ.

---X---